## SAFETY DATA SHEET CRANBERRY AIR FRESHENER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	Cranberry Air Freshener
Product number	865417, 865424
	f the substance or mixture and uses advised against
Identified uses	Air freshener
1.3. Details of the supplier of the supplication of the suppli	ne safety data sheet
Supplier	Quest Consumables Ltd
	Stock House, Seymour Road
	Nuneaton Warwickshire
	CV11 4LB
	02476 322 126 (T)
	02476 322 117 (F)
	info@fixtconsumables.com
1.4. Emergency telephone nur	nber
Emergency telephone	02476 322 126
SECTION 2: Hazards identifica	ation
2.1. Classification of the subst	ance or mixture
Classification	
Physical hazards	Aerosol 1 - H222, H229
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
Classification (67/548/EEC or 1999/45/EC)	F+;R12.
Human health	Gas or vapour is harmful on prolonged exposure or in high concentrations. In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.
Environmental	This product does not contain substances which are harmful to aquatic organisms or which may cause long term effects to the aquatic environment
Physicochemical	Aerosol containers can explode when heated, due to excessive pressure build-up. The product is extremely flammable. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.
2.2. Label elements	
Pictogram	

Signal word

Danger

Hazard statements	H319 Causes serious eye irritation. H229 Pressurised container: may burst if heated H222 Extremely flammable aerosol.
Precautionary statements	<ul> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P102 Keep out of reach of children.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P260 Do not breathe vapour/spray.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P501 Dispose of contents/container in accordance with local regulations.</li> </ul>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.2. Mixtures		
BUTANE		30-60%
CAS number: 106-97-8	EC number: 203-448-7	REACH registration number: Exempt under REACH
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Flam. Gas 1 - H220	F+;R12	
ISOBUTANE		10-30%
CAS number: 75-28-5	EC number: 200-857-2	REACH registration number: Exempt under REACH
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Flam. Gas 1 - H220	F+;R12	
PROPANE		10-30%
CAS number: 74-98-6	EC number: 200-827-9	REACH registration number: Exempt under REACH
<b>Classification</b> Flam. Gas 1 - H220	<b>Classificatio</b> F+;R12	on (67/548/EEC or 1999/45/EC)
PROPAN-2-OL		10-30%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 Xi;R	36 R67
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

SECTION 6: Accidental release	se measures	
5.3. Advice for firefighters Protective actions during firefighting	-	spray and remove them from the fire area if it can exposed containers cool and disperse vapours.
Specific hazards	may spread near ground and travel a conside	res with air. Vapours are heavier than air and erable distance to a source of ignition and flash de when heated, due to excessive pressure build-
5.2. Special hazards arising fr		
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry po	wder or water fog.
5.1. Extinguishing media	<b>-</b>	
SECTION 5: Firefighting meas	sures	
Notes for the doctor	Treat symptomatically.	
•	te medical attention and special treatment nee	ded
General information	The severity of the symptoms described will v length of exposure.	vary dependent on the concentration and the
4.2. Most important symptoms	and effects, both acute and delayed	
Eye contact	Rinse immediately with plenty of water. Reme apart. Continue to rinse for at least 15 minute	ove any contact lenses and open eyelids wide as and get medical attention.
Skin contact	Remove contaminated clothing immediately a	and wash skin with soap and water.
Ingestion	Rinse mouth thoroughly with water. Do not in	duce vomiting. Get medical attention.
Inhalation	If spray/mist has been inhaled, proceed as for keep warm and at rest in a position comfortal artificial respiration. Keep affected person wa immediately.	ble for breathing. If breathing stops, provide
General information	Move affected person to fresh air at once.	
4.1. Description of first aid me	asures	
SECTION 4: First aid measure	əs	
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Sec	tion 16.
STOT SE 3 - H336 Eye Irrit. 2 - H319	F;R11 XI;R36 R66 R67	
<b>Classification</b> Flam. Liq. 2 - H225	Classification (67/548/EEC or 1999/45/EC) F;R11 Xi;R36 R66 R67	
ETHYL ACETATE CAS number: 141-78-6	EC number: 205-500-4	<1% REACH registration number: 01- 2119475103-46

## 6.1. Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Provide adequate ventilation. Use suitable respiratory protection if ventilation is inadequate.

 Avoid inhalation of vapours.
 Avoid inhalation of vapours.

#### 6.2. Environmental precautions

**Environmental precautions** 

Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning upEliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near<br/>spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent<br/>material. Leave small quantities to evaporate, if safe to do so. Do not allow material to enter<br/>confined spaces, due to the risk of explosion.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Eliminate all sources of ignition. Do not spray on a naked flame or any incandescent material.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Extremely flammable. Keep away from heat, sparks and open flame. Store at moderate
	temperatures in dry, well ventilated area. Pressurized container: protect from sunlight and do
	not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

#### ISOBUTANE

Long-term exposure limit (8-hour TWA): WEL 800 ppm Short-term exposure limit (15-minute): WEL No std.

#### PROPANE

Long-term exposure limit (8-hour TWA): SUP 1000 ppm Short-term exposure limit (15-minute): SUP 1250 ppm

#### **PROPAN-2-OL**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

#### ETHYL ACETATE

Long-term exposure limit (8-hour TWA): WEL 200 ppm Short-term exposure limit (15-minute): WEL 400 ppm

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

## PROPANE (CAS: 74-98-6)

Ingredient comm	ents SUP = Supplier's recommendation.	
	PROPAN-2-OL (CAS: 67-63-0)	
DNEL	Industry - Dermal; Long term systemic effects: 888 mg/kg/day Industry - Inhalation; Long term systemic effects: 500 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 319 mg/kg/day Consumer - Dermal; Long term systemic effects: 26 mg/kg/day Consumer - Inhalation; Long term systemic effects: 89 mg/m <sup>3</sup>	
PNEC	- Fresh water; 140.9 mg/l - Marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - Sediment (Freshwater); 552 mg/kg - Sediment (Marinewater); 552 mg/kg - STP; 2251 mg/l - Soil; 28 mg/kg	
8.2. Exposure controls		
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.	
Personal protection	When using do not smoke.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.	
Hand protection	Due to the packaging form, aerosol, risk of skin contact is small. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.	
Hygiene measures	Wash hands after handling. Wash promptly if skin becomes contaminated. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.	
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.	
SECTION 9: Physical and Chemical Properties		

## 9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Clear.
Odour	Fruity.
Flash point	<-40°C
Upper/lower flammability or explosive limits	Lower : 1.8% - Upper 9.5%
Auto-ignition temperature	410-580°C
Comments	Information given is applicable to the major ingredient.
9.2. Other information	

Other information	Not available.	
Volatile organic compound	This product contains a maximum VOC content of 590 g/l.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Stable at normal ambient temperatures and when used as recommended.	
10.2. Chemical stability		
Stability	Avoid the following conditions: Heat, sparks, flames.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Does not decompose when used and stored as recommended.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	Keep away from oxidising materials, heat and flames.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapours.	
SECTION 11: Toxicological information		

### 11.1. Information on toxicological effects

General information	Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.
Inhalation	In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Unconsciousness, possibly death.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	Vapour or spray in the eyes may cause irritation and smarting.
Acute and chronic health hazards	Arrhythmia (deviation from normal heart beat). In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
Route of entry	Inhalation
Target organs	Central nervous system Respiratory system, lungs
Medical symptoms	Arrhythmia (deviation from normal heart beat). Narcotic effect. Vapours may cause drowsiness and dizziness.
SECTION 12: Ecological Information	

Ecotoxicity

Toxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Not available.

12.2. Persistence and degradability		
Persistence and degradability	Not available.	
12.3. Bioaccumulative potentia	d .	
Bioaccumulative potential	Not available.	
12.4. Mobility in soil		
Mobility	Not known.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	Not available.	
12.6. Other adverse effects		
Other adverse effects	Not available.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment method	S	
General information	Do not puncture or incinerate, even when empty.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Empty containers must not be punctured or incinerated because of the risk of an explosion.	
SECTION 14: Transport inform	nation	
General	This product is packed in accordance with the Limited Quantity Provisions of CDGCPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.	
General 14.1. UN number	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported	
	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported	
14.1. UN number	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.	
14.1. UN number UN No. (ADR/RID)	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.	
14.1. UN number UN No. (ADR/RID) UN No. (IMDG)	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following. 1950 1950	
14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO)	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following. 1950 1950	
14.1. UN number UN No. (ADR/RID) UN No. (IMDG) UN No. (ICAO) 14.2. UN proper shipping name	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.  1950 1950 29	
14.1. UN numberUN No. (ADR/RID)UN No. (IMDG)UN No. (ICAO)14.2. UN proper shipping nameProper shipping name(ADR/RID)Proper shipping name	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following. 1950 1950 <b>e</b> AEROSOLS AEROSOLS	
14.1. UN number         UN No. (ADR/RID)         UN No. (IMDG)         UN No. (ICAO)         14.2. UN proper shipping name         (ADR/RID)         Proper shipping name         (ADR/RID)         Proper shipping name         (IMDG)	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following. 1950 1950 <b>e</b> AEROSOLS AEROSOLS	
14.1. UN numberUN No. (ADR/RID)UN No. (IMDG)UN No. (ICAO)14.2. UN proper shipping nameProper shipping name(ADR/RID)Proper shipping name(IMDG)Proper shipping name	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.  1950 1950 9 AEROSOLS AEROSOLS AEROSOLS AEROSOLS	
14.1. UN numberUN No. (ADR/RID)UN No. (IMDG)UN No. (ICAO)14.2. UN proper shipping nameProper shipping name(ADR/RID)Proper shipping name(IMDG)Proper shipping name(IMDG)Proper shipping name(ICAO)	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.  1950 1950 9 AEROSOLS AEROSOLS AEROSOLS AEROSOLS	
14.1. UN number         UN No. (ADR/RID)         UN No. (IMDG)         UN No. (ICAO)         14.2. UN proper shipping name         (ADR/RID)         Proper shipping name         (ADR/RID)         Proper shipping name         (IMDG)         Proper shipping name         (IMDG)         Proper shipping name         (IMDG)         Proper shipping name         (IMDG)         Proper shipping name         (IADA)         14.3. Transport hazard class(e)	and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.  1950 1950 2 AEROSOLS AEROSOLS AEROSOLS s)	

ICAO class/division

#### Transport labels



#### 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

2.1

No.

#### 14.6. Special precautions for user

Tunnel restriction code (D)

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).	
EU legislation	Commission Regulation (EU) No 453/2010 of 20 May 2010.	
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations. Approved Classification and Labelling Guide (Sixth edition) L131. British Aerosol Manufacturers Code of Practice 7th. Edition 1999	

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

Revision comments	Supplemental information added.
Revision date	20/07/2015
Revision	1
SDS number	11916
SDS status	Approved.
Risk phrases in full	R11 Highly flammable. R12 Extremely flammable. R36 Irritating to eyes. R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full	H220 Extremely flammable gas.
	H222 Extremely flammable aerosol.
	H225 Highly flammable liquid and vapour.
	H229 Pressurised container: may burst if heated
	H319 Causes serious eye irritation.
	H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.