## SAFETY DATA SHEET **Odourkill Tutti Frutti**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product	name
---------	------

Odourkill Tutti Frutti

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PC3 Air care products

### 1.3. Details of the supplier of the safety data sheet

Supplier	Aztec Aerosols
	Gateway
	Crewe
	Cheshire
	CW1 6FA
	T+44 (0) 1270 656380
	F+44 (0) 1270 656381
	info@aztecaerosols.com

### 1.4. Emergency telephone number

**Emergency telephone** +44 (0)7831 300868

**SECTION 2: Hazards identification** 

2.1. Classification of the substance or mixture		
Classification (EC 1272/2008)		
Physical hazards	Aerosol 1 - H222, H229	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
Classification (67/548/EEC or 1999/45/EC)	F+;R12.	
Human health	Gas or vapour is harmful on prolonged exposure or in high concentrations. In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.	
Environmental	The product is not expected to be hazardous to the environment.	
Physicochemical	Aerosol containers can explode when heated, due to excessive pressure build-up. The product is extremely flammable. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.	
2.2. Label elements		
Pictogram		

Pictogram



Signal word

Danger

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated H319 Causes serious eye irritation. EUH208 Contains ETHYL-2,3-EPOXY-3-PHENYLBUTYRATE. May produce an allergic reaction.
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P102 Keep out of reach of children.</li> <li>P260 Do not breathe vapour/ spray.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 60		60-100%
CAS number: 68476-85-7	EC number: 270-704-2	
Classification	Classificat	ion (67/548/EEC or 1999/45/EC)
Flam. Gas 1 - H220		arc. Cat. 1;R45 Muta. Cat. 2;R46
Press. Gas, Liquefied - H280		
PROPAN-2-OL		10-30%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25
Classification	Classificat	ion (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 Xi;F	R36 R67
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
ETHYL-2,3-EPOXY-3-PHENYLB	UTYRATE	<1%
CAS number: 77-83-8	EC number: 201-061-8	
Classification	Classificat	ion (67/548/EEC or 1999/45/EC)
Skin Sens. 1B - H317	R52/53.	
Aquatic Chronic 2 - H411		

BENZYL BENZOATE		<1%
CAS number: 120-51-4	EC number: 204-402-9	REACH registration number: 01- 2119976371-33
M factor (Acute) = 1		
Classification	Classificati	ion (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R22 N;	R51/53
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
The Full Text for all R-Phr	ases and Hazard Statements are Displayed in S	ection 16.
SECTION 4: First aid mea	Isures	
4.1. Description of first aid	measures	
General information	Move affected person to fresh air at once.	
Inhalation		follows. Move affected person to fresh air and table for breathing. If breathing stops, provide

Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Notes for the doctor	I reat symptomatically

### SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Extremely flammable. Forms explosive mixtures with air. Vapours are heavier than air and
	may spread near ground and travel a considerable distance to a source of ignition and flash
	back. Containers can burst violently or explode when heated, due to excessive pressure build-
	up.

5.3. Advice for firefighters

Protective actions during<br/>firefightingCool containers exposed to heat with water spray and remove them from the fire area if it can<br/>be done without risk. Use water to keep fire exposed containers cool and disperse vapours.<br/>Warn firefighters that aerosols are involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Provide adequate ventilation. Use suitable respiratory protection if ventilation is inadequate. Avoid inhalation of vapours.
6.2. Environmental precaution	ns
Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.
6.3. Methods and material for	r containment and cleaning up
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Leave small quantities to evaporate, if safe to do so. Do not allow material to enter confined spaces, due to the risk of explosion.
6.4. Reference to other section	ons
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and st	orage
7.1. Precautions for safe hand	dling
Usage precautions	Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Eliminate all sources of ignition. Do not spray on a naked flame or any incandescent material.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Extremely flammable. Keep away from heat, sparks and open flame. Store at moderate temperatures in dry, well ventilated area. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Control	ols/personal protection
8.1. Control parameters Occupational exposure limits PETROLEUM GASES, LIQU	
<b>e</b> 1 (	nour TWA): WEL 1000 ppm  1750 mg/m³ -minute):  WEL 1250 ppm  2180 mg/m³
PROPAN-2-OL	
	nour TWA): WEL 400 ppm_999 mg/m³ -minute): WEL 500 ppm_1250 mg/m³ Limit
Ingredient comments	WEL = Workplace Exposure Limits
	PROPAN-2-OL (CAS: 67-63-0)

DNEL Industry - Dermal; Long term systemic effects: 888 mg/kg/day Industry - Inhalation; Long term systemic effects: 500 mg/m<sup>3</sup> Consumer - Dermal; Long term systemic effects: 319 mg/kg/day Consumer - Dermal; Long term systemic effects: 26 mg/kg/day Consumer - Inhalation; Long term systemic effects: 89 mg/m<sup>3</sup>

PNEC	<ul> <li>Fresh water; 140.9 mg/l</li> <li>Marine water; 140.9 mg/l</li> <li>Intermittent release; 140.9 mg/l</li> <li>Sediment (Freshwater); 552 mg/kg</li> <li>Sediment (Marinewater); 552 mg/kg</li> <li>STP; 2251 mg/l</li> <li>Soil; 28 mg/kg</li> </ul>
8.2. Exposure controls	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.
Personal protection	When using do not smoke.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Hand protection	Due to the packaging form, aerosol, risk of skin contact is small. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Hygiene measures	Wash hands after handling. Wash promptly if skin becomes contaminated. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Aerosol.
Colour	Clear.
Odour	Sweetish.
Initial boiling point and range	-40 to -2°C @ 1013 hPa
Flash point	<-40°C
Upper/lower flammability or explosive limits	Lower : 1.8% - Upper 9.5%
Vapour pressure	ca. 590 to 1760 kPa @ 45°C
Vapour density	ca. 1.5 at 15°C
Partition coefficient	log Pow: ca. 2.3 to 2.8

9.2. Other information Other information

Auto-ignition temperature

Volatile organic compound This product contains a maximum VOC content of 590 g/l.

410-580°C

Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Comments

Information given is applicable to the major ingredient.

Reactivity	Stable at normal ambient temperatures and when used as recommended.		
10.2. Chemical stability			
Stability	Avoid the following conditions: Heat, sparks, flames.		
10.3. Possibility of hazardous r	reactions		
Possibility of hazardous reactions	Does not decompose when used and stored as recommended.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.		
10.5. Incompatible materials			
Materials to avoid	Keep away from oxidising materials, heat and flames.		
10.6. Hazardous decompositio	n products		
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapours.		
SECTION 11: Toxicological information			
11.1. Information on toxicologic	11.1. Information on toxicological effects		
General information	Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.		
Inhalation	In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Unconsciousness, possibly death.		
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.		

**Eye contact** Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health<br/>hazardsArrhythmia (deviation from normal heart beat). In high concentrations, vapours and aerosol<br/>mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Route of entry	Inhalation
Target organs	Central nervous system Respiratory system, lungs
Medical symptoms	Arrhythmia (deviation from normal heart beat). Narcotic effect. Vapours may cause drowsiness and dizziness. Skin irritation.

### **SECTION 12: Ecological Information**

**Ecotoxicity** No negative effects on the aquatic environment are known. The product is not expected to be toxic to aquatic organisms.

### 12.1. Toxicity

Toxicity

Not available.

### 12.2. Persistence and degradability

Persistence and degradability Not available.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential	Not available.		
Partition coefficient	log Pow: ca. 2.3 to 2.8		
12.4. Mobility in soil			
Mobility	Not known.		
12.5. Results of PBT and vPvB assessment			
Results of PBT and vPvB assessment	Not available.		
12.6. Other adverse effects			
Other adverse effects	Not available.		
SECTION 13: Disposal consid	erations		
13.1. Waste treatment method			
General information	Do not puncture or incinerate, even when empty.		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Empty containers must not be punctured or incinerated because of the risk of an explosion.		
SECTION 14: Transport inform	nation		
General	This product is packed in accordance with the Limited Quantity Provisions of CDGCPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.		
14.1. UN number			
UN No. (ADR/RID)	1950		
UN No. (IMDG)	1950		
UN No. (ICAO)	1950		
UN No. (ADN)	1950		
14.2. UN proper shipping name			
Proper shipping name (ADR/RID)	AEROSOLS		
Proper shipping name (IMDG)	AEROSOLS		
Proper shipping name (ICAO)	AEROSOLS		
Proper shipping name (ADN)	AEROSOLS		
14.3. Transport hazard class(es)			
ADR/RID class	2.1		
ADR/RID classification code	5F		
ADR/RID label	2.1		
IMDG class	2.1		
ICAO class/division	2.1		

ADN class	2.1	
Transport labels		
14.4. Packing group		
ADR/RID packing group	None	
IMDG packing group	None	
ADN packing group	None	
ICAO packing group	None	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
EmS	F-D, S-U	
ADR transport category	2	
Tunnel restriction code	(D)	
14.7. Transport in bulk according to Annex II of MARPOL		

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Commission Regulation (EU) No 453/2010 of 20 May 2010.
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations. Approved Classification and Labelling Guide (Sixth edition) L131. British Aerosol Manufacturers Code of Practice 7th. Edition 1999

and the IBC Code

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

Revision comments	This is first issue.
Revision date	05/10/2016
Revision	1
SDS number	21133
SDS status	Approved.

Risk phrases in full	<ul> <li>R11 Highly flammable.</li> <li>R12 Extremely flammable.</li> <li>R36 Irritating to eyes.</li> <li>R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R67 Vapours may cause drowsiness and dizziness.</li> </ul>
Hazard statements in full	<ul> <li>H220 Extremely flammable gas.</li> <li>H222 Extremely flammable aerosol.</li> <li>H225 Highly flammable liquid and vapour.</li> <li>H229 Pressurised container: may burst if heated</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H302 Harmful if swallowed.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H400 Very toxic to aquatic life.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>EUH208 Contains ETHYL-2,3-EPOXY-3-PHENYLBUTYRATE. May produce an allergic reaction.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.