



SAFETY DATA SHEET
Deb Cradle skin Sanitiser

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Deb Cradle Skin Sanitiser
Product No. 865577

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

1.3. Details of the supplier of the safety data sheet

Supplier Quest Consumables Ltd
Stock House
Seymour Road
Nuneaton
CV11 4LB
Tel: +44 (0) 02476 322126
Fax:+44 (0) 02476 322117
Email:sales@questconsumables.com

1.4. Emergency telephone number

National Poisons Information Service (UK) 0844 8920111 National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R41. F;R11.

Human health

Irritating to eyes.

Environment

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

Physical and Chemical Hazards

The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures.

2.2. Label elements

Labelling



Irritant



Highly flammable

Risk Phrases

R11 Highly flammable
R41 Risk of serious damage to eyes.

Safety Phrases

S2 Keep out of the reach of children.
S25 Avoid contact with eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S46 If swallowed, seek medical advice immediately and show this container or label.

2.3. Other hazards

Deb Cradle skin Sanitiser

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

ETHANOL	70%
CAS-No.: 64-17-5	EC No.: 200-578-6
	Registration Number: 01-2119457610-43
Classification (EC 1272/2008) Flam. Liq. 2 - H225	Classification (67/548/EEC) F;R11
PROPAN-1-OL	10%
CAS-No.: 71-23-8	EC No.: 200-746-9
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Dam. 1 - H318 STOT SE 3 - H336	Classification (67/548/EEC) F;R11 Xi;R41 R67

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

The data shown are in accordance with the latest EC Directives.

INCI

Alcohol Denat.
Aqua
Propyl Alcohol
Glycerin
Panthenol
Acrylates/C10-30 Alkyl Acrylate Crosspolymer
Triisopropanolamine

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Get medical attention if any discomfort continues.

Inhalation

General first aid, rest, warmth and fresh air.

Ingestion

DO NOT induce vomiting. Get medical attention immediately.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

No specific symptoms noted.

Ingestion

May cause nausea, headache, dizziness and intoxication.

Skin contact

None known.

Eye contact

May cause severe irritation to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

Deb Cradle skin Sanitiser

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Fire can be extinguished using: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

During fire, toxic gases (CO, CO₂) are formed.

Unusual Fire & Explosion Hazards

FLAMMABLE. Forms explosive mixtures with air.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Cool containers exposed to flames with water until well after the fire is out.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground. Contain spillages with sand, earth or any suitable adsorbent material.

6.3. Methods and material for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.

Storage Class

Flammable liquid storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANOL	WEL	1000 ppm	1920 mg/m ³			
PROPAN-1-OL	WEL	200 ppm	500 mg/m ³	250 ppm	625 mg/m ³	Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

Ingredient Comments

None.

Deb Cradle skin Sanitiser

ETHANOL (CAS: 64-17-5)

DNEL

Professional	Inhalation.	Local Effects	1900	mg/m ³
Professional	Dermal	Long Term	Systemic Effects	343 mg/kg/day
Professional	Inhalation.	Long Term	Systemic Effects	950 mg/m ³
Consumer	Inhalation.	Local Effects	950	mg/m ³
Consumer	Dermal	Long Term	Systemic Effects	206 mg/kg/day
Consumer	Inhalation.	Long Term	Systemic Effects	114 mg/m ³
Consumer	Oral	Long Term	Systemic Effects	87 mg/kg/day

PNEC

Freshwater	0.96	mg/l
Marinewater	0.79	mg/l

PROPAN-1-OL (CAS: 71-23-8)

DNEL

Industry	Dermal	Long Term	Systemic Effects	136 mg/kg/day
Industry	Inhalation.	Long Term	Systemic Effects	268 mg/m ³
Industry	Inhalation.	Short Term	Systemic Effects	1723 mg/m ³
Consumer	Dermal	Long Term	Systemic Effects	81 mg/kg/day
Consumer	Inhalation.	Long Term	Systemic Effects	80 mg/m ³
Consumer	Inhalation.	Short Term	Systemic Effects	1036 mg/m ³
Consumer	Oral	Long Term	Systemic Effects	61 mg/m ³

PNEC

Freshwater	10	mg/l
STP	96	mg/l
Soil	2.2	mg/kg
Sediment (Marinewater)	2.28	mg/kg
Sediment (Freshwater)	22.8	mg/kg
Intermittent release	10	mg/l
Marinewater	1	mg/l

8.2. Exposure controls

Protective equipment



Process conditions

Provide eyewash station.

Engineering measures

Not relevant

Respiratory equipment

Not relevant

Hand protection

Hand protection not required.

Eye protection

Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Viscous liquid.

Colour Colourless.

Odour Characteristic.

Initial boiling point and boiling range (°C)

Not determined.

Melting point (°C)

Not determined.

Deb Cradle skin Sanitiser

Relative density

Not determined.

Vapour density (air=1)

Not determined.

Vapour pressure

Not determined.

Evaporation rate

Not determined.

pH-Value, Conc. Solution 6.5-7.5

Viscosity

Not determined.

Decomposition temperature (°C)

Not determined.

Odour Threshold, Lower

Not determined.

Odour Threshold, Upper

Not determined.

Flash point (°C) 19 Deg C

Auto Ignition Temperature (°C)

Not determined.

Flammability Limit - Lower(%)

Not determined.

Flammability Limit - Upper(%)

Not determined.

**Partition Coefficient
(N-Octanol/Water)**

Not determined.

Explosive properties

Not determined.

Oxidising properties

Does not meet the criteria for oxidising.

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

Not known.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials To Avoid

No incompatible groups noted.

10.6. Hazardous decomposition products

During fire, toxic gases (CO, CO₂) are formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Deb Cradle skin Sanitiser

Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data the classification criteria are not met.

Germ cell mutagenicity:

Does not contain any substances known to be mutagenic.

Carcinogenicity:

Does not contain any substances known to be carcinogenic.

Reproductive Toxicity:

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure:

STOT - Single exposure

No information available.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

No information available.

Aspiration hazard:

Based on available data the classification criteria are not met.

General information

No specific health warnings noted.

Inhalation

No specific health warnings noted.

Ingestion

May cause nausea, headache, dizziness and intoxication.

Skin contact

Skin irritation is not anticipated when used normally.

Eye contact

Irritating and may cause redness and pain.

Toxicological information on ingredients.

Toxic Dose 1 - LD 50

7060 mg/kg (oral rat)

Toxic Dose 2 - LD 50

3500 mg/kg (oral rat)

Toxic Conc. - LC 50

20000 ppm/-- (ihl-rat)

ETHANOL (CAS: 64-17-5)

Acute toxicity:

Acute Toxicity (Dermal LD50)

> 20000 mg/kg Rabbit

Skin Corrosion/Irritation:

Oedema score

Very slight oedema -barely perceptible (1).

Deb Cradle skin Sanitiser

PROPAN-1-OL (CAS: 71-23-8)

Toxic Dose 1 - LD 50

1870 mg/kg (oral rat)

Toxic Conc. - LC 50

>33.8 mg/l/4h (inh-rat)

Acute toxicity:

Acute Toxicity (Dermal LD50)

4000 mg/kg Rabbit

Acute Toxicity (Inhalation LC50)

> 39.1 mg/l (vapours) Rat 1 hour

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

12.1. Toxicity

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

Ecological information on ingredients.

ETHANOL (CAS: 64-17-5)

Acute Toxicity - Fish

LC50 96 hours 15300 mg/l Pimephales promelas (Fat-head Minnow)

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours > 10000 mg/l Daphnia magna

EC50 858 24H mg/l Marinewater invertebrates

IC 50, 72 Hrs, Algae, mg/l

5000

Acute Toxicity - Aquatic Plants

EC50 72 hours 275 mg/l Freshwater algae

PROPAN-1-OL (CAS: 71-23-8)

LC 50, 96 Hrs, Fish mg/l

4480

EC 50, 48 Hrs, Daphnia, mg/l

3644

Acute Toxicity - Aquatic Plants

EC50 192 hours 3100 mg/l Freshwater algae

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

PROPAN-1-OL (CAS: 71-23-8)

Biodegradation

Degradation (75%) 20 days

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

Deb Cradle skin Sanitiser

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Recover and reclaim or recycle, if practical. Dispose of waste and residues in accordance with local authority requirements. Contact specialist disposal companies.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	1987
UN No. (IMDG)	1987
UN No. (ICAO)	1987

14.2. UN proper shipping name

Proper Shipping Name ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

14.3. Transport hazard class(es)

ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
ADR Label No.	3
IMDG Class	3
ICAO Class/Division	3
Transport Labels	



14.4. Packing group

ADR/RID/ADN Packing group	II
IMDG Packing group	II
ICAO Packing group	II

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS	F-E, S-D
Emergency Action Code	•3YE
Hazard No. (ADR)	33

Deb Cradle skin Sanitiser

Tunnel Restriction Code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work. Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Use biocides safely. Always read the label and product information before use. Only trained personnel should use this material.

Information Sources

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.

Revision Comments

New REACH Annex 2 Compliant MSDS

Revision Date 14/01/2013

Revision 2

Supersedes date 15/02/2011

Risk Phrases In Full

R11 Highly flammable
 R41 Risk of serious damage to eyes.
 R67 Vapours may cause drowsiness and dizziness.

Hazard Statements In Full

H225 Highly flammable liquid and vapour.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.

Notes for Risk Phrases and Hazard Statements in Full

The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.