

**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

Page 1/5

**RUBBER BUFFER SOLUTION**

Revision 4  
Revision date 2011-10-24

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

<b>Product name</b>	RUBBER BUFFER SOLUTION
<b>Product code</b>	405206

**1.3. Details of the supplier of the safety data sheet**





<b>Company</b>	Quest Consumables Ltd
<b>Address</b>	Stock House Seymour Road Nuneaton Warwickshire CV11 4LB
<b>Tel</b>	02476 322126
<b>Fax</b>	02476 322117
<b>Email</b>	info@questconsumables.com

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

<b>2.1.1. Classification - 67/548/EEC</b>	F; R11 Xn; R65 Xi; R38 N; R51/53 Symbols: F: Highly flammable. Xn: Harmful. N: Dangerous for the environment.
<b>Main hazards</b>	Highly flammable. Irritating to skin. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.
<b>2.1.2. Classification - EC 1272/2008</b>	Flam. Liq. 2: H225; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Aquatic Chronic 2: H411;

**2.2. Label elements**

<b>Hazard pictograms</b>	   
<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation.

# RUBBER BUFFER SOLUTION

Revision 4

Revision date 2011-10-24

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	<p>P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.</p> <p>P233 - Keep container tightly closed.</p> <p>P240 - Ground/bond container and receiving equipment.</p> <p>P241 - Use explosion-proof electrical/ventilating/lighting// equipment.</p> <p>P242 - Use only non-sparking tools.</p> <p>P243 - Take precautionary measures against static discharge.</p> <p>P264 - Wash thoroughly after handling.</p> <p>P273 - Avoid release to the environment.</p> <p>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p>
<b>Precautionary Statement: Response</b>	<p>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</p> <p>P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</p> <p>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</p> <p>P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P321 - Specific treatment (see on this label).</p> <p>P331 - Do NOT induce vomiting.</p> <p>P332+P313 - If skin irritation occurs: Get medical advice/attention.</p> <p>P370+P378 - In case of fire: Use for extinction.</p> <p>P391 - Collect spillage.</p>
<b>Precautionary Statement: Storage</b>	<p>P403+P235 - Store in a well-ventilated place. Keep cool.</p> <p>P405 - Store locked up.</p>
<b>Precautionary Statement: Disposal</b>	<p>P501 - Dispose of contents/container to</p>

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Special Boiling Point Spirit 100/14C		64742-49-0	265-151-9		90 - 100%	F; R11 Xn; R65 Xi; R38 N; R51/53

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Special Boiling Point Spirit 100/14C		64742-49-0	265-151-9		90 - 100%	Flam. Liq. 2: H225; Asp. Tox 1: H304; Skin Irrit. 2: H315; Aquatic Chronic 2: H411;

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam.

### 5.2. Special hazards arising from the substance or mixture

# RUBBER BUFFER SOLUTION

Revision 4

Revision date 2011-10-24

## 5.2. Special hazards arising from the substance or mixture

	Highly flammable. Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Wear suitable protective equipment.
--	---

### 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

## SECTION 8: Exposure controls/personal protection

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

	Ensure adequate ventilation of the working area.
--	--

#### 8.2.2. Individual protection measures

	Wear chemical protective clothing.
--	------------------------------------

#### Eye / face protection

	Approved safety goggles.
--	--------------------------

#### Skin protection - Handprotection

	Chemical resistant gloves (PVC).
--	----------------------------------

#### Respiratory protection

	Self-contained breathing apparatus. Wear protective clothing.
--	---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Colourless
Odour	Strong
Boiling point	104-121
Flash point	1
Autoignition temperature	310

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

### 10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

### 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## RUBBER BUFFER SOLUTION

Revision 4

Revision date 2011-10-24

**SECTION 11: Toxicological information**

## 11.1.4. Toxicological Information

Special Boiling Point Spirit 100/140	Oral Rat LD50: >2000mg/kg
---	---------------------------

**SECTION 12: Ecological information**

## 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**SECTION 13: Disposal considerations**

## General information

Dispose of in compliance with all local and national regulations.

**SECTION 14: Transport information**

## Hazard pictograms



## 14.1. UN number

UN3295

## 14.2. UN proper shipping name

HYDROCARBONS, LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group II

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

## IMDG

EmS Code F-E S-D

## IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	353
Maximum quantity	5 L

**SECTION 15: Regulatory information**

# RUBBER BUFFER SOLUTION

Revision 4

Revision date 2011-10-24

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Regulations</b>	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
--------------------	--

## SECTION 16: Other information

### Other information

<b>Revision</b>	This document differs from the previous version in the following areas: 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage.
<b>Text of risk phrases in Section 3</b>	R11 - Highly flammable. R38 - Irritating to skin. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
<b>Text of Hazard Statements in Section 3</b>	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
<b>Further information</b>	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.