

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/3

### LIQUID TYRE BEAD LUBRICANT

Revision 0

Revision date 2011-03-21

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	LIQUID TYRE BEAD LUBRICANT
Product code	C002

##### 1.3. Details of the supplier of the safety data sheet

Company	GreSolvent
Address	Unit C1A Wem Industrial Estate Soulton Road Wem Shropshire SY4 5SD England
Web	WWW.GRESOLVENT.CO.UK
Telephone	+44 (0)1939 232326
Fax	+44 (0)1939 232386
Email	gresolvent@btconnect.com

##### 1.4. Emergency telephone number

Emergency telephone number	+44 (0)1939 232326 9.00 am - 5.00 pm
----------------------------	---

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

Main hazards	No Significant Hazard
--------------	-----------------------

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH Registration Number	Conc. (%w/w)	Classification
Triethanolamine dodecylbenzene sulphionate		27323-41-7			1 - 10%	
Coconut diethanolamine		68603-42-9			1 - 10%	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
------------	---

## LIQUID TYRE BEAD LUBRICANT

Revision 0

Revision date 2011-03-21

**4.1. Description of first aid measures**

Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

	Carbon dioxide (CO2).
--	-----------------------

**5.2. Special hazards arising from the substance or mixture**

	Burning produces irritating, toxic and obnoxious fumes.
--	---

**5.3. Advice for firefighters**

	Wear suitable respiratory equipment when necessary.
--	---

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

**6.2. Environmental precautions**

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

**6.3. Methods and material for containment and cleaning up**

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

**7.2. Conditions for safe storage, including any incompatibilities**

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

**SECTION 8: Exposure controls/personal protection****8.2. Exposure controls**

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear: Suitable respiratory equipment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

State	Viscous liquid.
Colour	Green
Odour	Mild
pH	9.0

**SECTION 10: Stability and reactivity**

## LIQUID TYRE BEAD LUBRICANT

Revision 0

Revision date 2011-03-21

## 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity May cause sensitisation by skin contact.

## SECTION 12: Ecological information

## 12.1. Toxicity

No data is available on this product.

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

## Further information

Further information The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## Labelling

Risk phrases Safety phrases	The product is classified in accordance with 67/548/EEC.
	No Significant Hazard.
	S24 - Avoid contact with skin. S37 - Wear suitable gloves.

## SECTION 16: Other information

## Other information

Text of risk phrases in Section 3	R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
-----------------------------------	---

## Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.