

Page 1/4

Tinmans Solder Sticks

Revision 1
Revision date 2015-06-05

	SECTION 1: Identification	of the substance/mixture and	of the company/undertaking
ı			

1.1. Product identifier

Product name Tinmans Solder Sticks

1.3. Details of the supplier of the safety data sheet

Company Quest Consumables Ltd

Address Stock House, Seymour Road

Nuneaton, Warwickshire

CV11 4LB United Kingdom

Sales@questconsumables.com

Web

Telephone +44 (0) 2476 322126 **Fax** +44 (0) 2476 322151

Email sales@questconsumables.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - T; R23/25

1999/45/EC

Symbols: T: Toxic.

Main hazards

Toxic by inhalation and if swallowed.

2.1.2. Classification - EC

1272/2008

Acute Tox. 3: H301; Acute Tox. 3: H331;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H331 - Toxic if inhaled.

Precautionary Statement:

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Prevention

P264 - Wash thoroughly after handling.

P270 - Do no eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

Precautionary Statement:

Response

P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311 - Call a POISON CENTER/doctor/.

P311 - Call a POISON CENTER/doctor/ .
P321 - Specific treatment (see on this label).

P330 - Rinse mouth.

Tinmans Solder Sticks

Revision 1
Revision date 2015-06-05

2.2. Label elements

Precautionary Statement:
Storage
Precautionary Statement:
Precautionary Statement:
Disposal

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Lead Ingot (Lead)		7439-92-1	231-100-4			T; R23/25	
Tin		7440-31-5	231-141-8				
Antimony		7440-36-0	231-146-5			Xi; R36/37/38	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Lead Ingot (Lead)		7439-92-1	231-100-4			Acute Tox. 3: H301; Acute Tox. 3: H331;	
Tin		7440-31-5	231-141-8			,	
Antimony		7440-36-0	231-146-5			Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Toxic by inhalation. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.	
Skin contact	Toxic in contact with skin. Wash off immediately with plenty of soap and water.	
Ingestion	Toxic if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. If swallowed, seek medical advice immediately and show this container or label. DO NOT INDUCE VOMITING.	

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear:. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not let product contaminate subsoil.

6.3. Methods and material for containment and cleaning up

Tinmans Solder Sticks

Revision 1
Revision date 2015-06-05

6.3. Methods and material for containment and cleaning up

Sweep up. Transfer to suitable, labelled containers for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Antimony	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3	: 0.5
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3	:
	WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total	inhalable dust - WEL 15 min limit mg/m3 total	: -
Lead Ingot (Lead)	respirable dust:	respirable dust 82/605 8hTWA ppm	
	8hTWA mg/m3:		
	STEL mg/m3:	- NOT	: -
Tin	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3	: 0.1
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3	0.2
	WEL 8-hr limit mg/m3 total inhalable dust:	inhalable dust	:
	WEL 8-hr limit mg/m3 total respirable dust:	- WEL 15 min limit mg/m3 total respirable dust	

8.2. Exposure controls

8.2.1. Appropriate	engineering
controls	

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear protective clothing. Wash all contaminated clothing before reuse.

Eye / face protection

Wear:. Approved safety goggles.

Skin protection -Handprotection

Wear suitable gloves.

Respiratory protection

Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid
Colour	Grey
Odour	Odourless

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

Tinmans Solder Sticks

Revision 1
Revision date 2015-06-05

SECTION 12: Ecological information			
12.1. Toxicity			
	No data is available on this product.		
SECTION 13: Disposal cons	siderations		
General information			
	Dispose of in compliance with all local and national regulations.		
Disposal methods			
	Contact a licensed waste disposal company. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.		
Disposal of packaging			
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.		
SECTION 14: Transport info	rmation		
Further information			
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory in	formation		

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 12 - 12.1. Toxicity.
Text of risk phrases in Section 3	R23/25 - Toxic by inhalation and if swallowed. R36/37/38 - Irritating to eyes, respiratory system and skin.
Text of Hazard Statements in Section 3	Acute Tox. 3: H301+H331 - Toxic if swallowed or if inhaled Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.